

2001 North Dakota YRBS Results High School – Grades 9-12

The attached information provides the statewide results for the 2001 North Dakota Youth Risk Behavior Survey (YRBS) of high school students (grades 9-12). The results presented in this summary are “weighted” by school size and region to assure that the results accurately reflect the proportion of high school students enrolled in “urban” and “rural” school in each Human Service Region in the state.

The enclosed information provides five tables (four pages) of results for each of the following groups of high school students:

- All high school students grades 9-12
- 9th grade only
- 10th grade only
- 11th grade only
- 12th grade only

Each table provides several different columns of information. The columns are as follows:

- CDC State: Includes the results for the state selected sample.
- Overall: Includes the statewide results.
- Urban: Includes the results for all schools from school districts that have 1,000 or more students enrolled in grades K-12.
- Rural: Includes the results for all schools from school districts that have fewer than 1,000 students enrolled in grades K-12.
- Region 1: Includes the results for all schools within Human Service Region 1.
- Region 2: Includes the results for all schools within Human Service Region 2.
- Region 3: Includes the results for all schools within Human Service Region 3.
- Region 4: Includes the results for all schools within Human Service Region 4.
- Region 5: Includes the results for all schools within Human Service Region 5.
- Region 6: Includes the results for all schools within Human Service Region 6.
- Region 7: Includes the results for all schools within Human Service Region 7.
- Region 8: Includes the results for all schools within Human Service Region 8.

This report is being provided to all schools. Due to the confidentiality requirements of the Health Information Disclosure Act, local YRBS results have been provided **only** to local schools that met the following criteria:

- Minimum student segment size is 25. Minimum student segment size means countable YRBS survey forms.
- For a particular school to receive a report, there must be a least 25 countable surveys (Grades 9-12) within that school.
- For additional analysis or cross-tabs by grade, gender, etc., there must be at least 25 countable surveys in each grade segment, gender segment, etc. If a grade or gender segment does not have 25 countable surveys, data can be collapsed to attain the minimum student segment size. For example, if Grade 10 had seventeen countable surveys and Grade 11 had twenty-two countable surveys, a segment that combines Grades 10-11 could be presented in a cross-tab.
- If a school does not have 25 countable surveys, the results will be reported on a regional and state level only.

If you have any questions about the enclosed information or desire additional detail, please contact Mark Winkelman from Winkelman Consulting via telephone (701-237-2283) or email (MRWinkelman@prodigy.net).

2001 North Dakota YRBS Results
High School – Grades 9-12

Human Service Regions

★ Indicates Regional Office

Region 1

Region 2

Region 3


Region 4

Region 5

Region 6

Region 7

Region 8



2001 North Dakota YRBS Results High School – Grades 9-12

All Grades: Behaviors that Result in Unintentional and Intentional Injuries

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ times in past 30 days other than for hunting (Q16)	12.6%	11.7%	10.9%	12.8%	12.4%	11.6%	9.9%	13.3%	11.2%	10.8%	10.8%	16.8%
Carried weapon 1+ times in past 30 days on school property (Q17)	6.4%	5.5%	5.2%	5.9%	7.4%	5.0%	5.7%	6.7%	5.3%	5.3%	4.2%	8.1%
Didn't go to school 1+ times in past 30 days because felt unsafe (Q18)	3.0%	2.9%	3.1%	2.7%	3.4%	2.3%	3.0%	4.2%	3.7%	2.5%	2.2%	1.4%
Been in a physical fight in the past 12 months (Q21)	28.2%	26.9%	26.5%	27.3%	29.8%	25.9%	25.8%	33.1%	25.4%	24.1%	25.8%	27.5%
Been in a physical fight on school property in the past 12 months (Q23)	11.1%	10.7%	10.6%	10.9%	10.8%	9.1%	10.1%	14.1%	10.5%	9.3%	10.1%	12.9%
Boy/Girlfriend hit, slapped, or hurt you in the past 12 months (Q24)	11.7%	11.7%	12.2%	11.2%	15.2%	10.8%	11.2%	14.7%	11.9%	9.6%	10.3%	13.3%
Ever been forced to have sexual intercourse when you didn't want to (Q25)	8.6%	8.4%	8.6%	8.2%	10.6%	6.8%	8.8%	11.4%	8.5%	8.7%	6.9%	8.5%
Made plan about how to attempt suicide in the past 12 months (Q28)	13.9%	13.9%	15.4%	11.9%	15.5%	12.9%	11.8%	14.0%	13.8%	13.0%	14.2%	17.9%

2001 North Dakota YRBS Results High School – Grades 9-12

All Grades: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q14)	43.5%	45.1%	41.6%	49.7%	52.3%	39.6%	49.9%	48.2%	41.0%	46.9%	45.0%	51.9%
Drove when had been drinking 1+ times in past 30 days (Q15)	26.8%	29.8%	27.0%	33.5%	34.0%	25.3%	30.3%	30.3%	26.5%	32.1%	32.6%	34.1%
Smoked cigarettes 1+ days in the past 30 days (Q33)	35.3%	37.1%	37.9%	36.1%	48.7%	31.6%	43.3%	39.3%	35.1%	29.5%	39.2%	38.4%
Regular smoker: smoked cigarettes 20+ days in the past 30 days (Q33)	18.7%	18.4%	20.0%	16.1%	26.0%	15.7%	21.8%	21.5%	17.7%	16.5%	17.4%	16.7%
Heavy smoker: smoked > 20 cigarettes on days smoked in past 30 days (Q34)	1.2%	1.2%	1.3%	1.0%	1.7%	0.4%	1.1%	1.9%	1.2%	1.1%	1.0%	2.1%
Used chewing tobacco 1+ days in past 30 days (Q40)	13.2%	13.1%	12.0%	14.5%	21.9%	9.6%	18.2%	12.1%	11.1%	11.2%	14.2%	16.0%
Drank alcohol 1+ days in the past 30 days (Q43)	59.2%	59.2%	58.1%	60.6%	63.3%	54.2%	60.8%	57.7%	56.9%	59.4%	62.3%	66.2%
Had 5+ drinks in a row 1+ days in the past 30 days (Q44)	41.5%	44.3%	43.4%	45.4%	52.5%	40.0%	46.8%	46.4%	41.2%	41.8%	45.5%	49.8%
Used marijuana 1+ times in past 30 days (Q47)	22.0%	21.6%	27.5%	14.0%	21.4%	17.1%	21.4%	24.3%	23.8%	14.3%	24.6%	19.5%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q51)	15.1%	13.7%	14.3%	12.8%	16.2%	14.1%	13.5%	15.8%	12.7%	11.4%	13.0%	15.3%
Used methamphetamines 1+ times in lifetime (Q55)	9.7%	9.9%	12.7%	6.3%	11.0%	6.2%	8.7%	14.8%	9.8%	7.6%	9.9%	12.3%

2001 North Dakota YRBS Results High School – Grades 9-12

All Grades: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	25.4%	24.3%	24.8%	23.7%	31.2%	22.1%	22.6%	27.4%	22.8%	21.9%	25.6%	23.7%
First drink of alcohol under age 13 (Q42)	29.8%	29.9%	28.5%	31.7%	34.6%	28.6%	26.6%	30.0%	29.2%	29.2%	31.5%	30.8%
First time tried marijuana under age 13 (Q46)	6.9%	7.1%	8.6%	5.1%	9.0%	5.4%	7.9%	10.5%	6.3%	5.1%	6.4%	8.7%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	7.8%	6.8%	7.0%	6.5%	8.3%	6.9%	6.6%	9.8%	5.7%	6.5%	5.5%	7.4%

All Grades: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	43.6%	42.2%	42.8%	41.5%	45.5%	42.7%	37.0%	46.2%	40.0%	43.1%	43.3%	39.5%
First drink of alcohol under age 13 (Q42)	37.4%	37.8%	36.4%	39.6%	42.5%	37.3%	32.8%	38.3%	37.4%	38.7%	38.5%	38.2%
First time tried marijuana under age 13 (Q46)	17.4%	18.6%	18.7%	18.3%	20.7%	17.3%	21.1%	24.3%	16.0%	17.9%	15.3%	25.8%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	50.6%	49.9%	48.9%	51.5%	51.7%	48.6%	49.3%	62.3%	47.9%	54.0%	42.3%	48.0%

2001 North Dakota YRBS Results High School – Grades 9-12

All Grades: Other Risk Behaviors

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Never, rarely, or sometimes wear a seat belt (Q12)	43.4%	46.2%	44.3%	48.6%	47.6%	41.8%	59.8%	52.2%	42.2%	47.8%	43.7%	45.2%
Describe weight as slightly or very overweight (Q60)	31.9%	33.5%	32.3%	35.1%	37.4%	32.3%	35.4%	34.8%	37.4%	33.6%	28.5%	31.6%
Trying to lose weight (Q61)	47.5%	47.5%	47.6%	47.4%	52.1%	45.2%	45.1%	50.2%	49.9%	46.8%	45.5%	46.6%
Did not eat 5+ fruits or vegetables per week (Q67-Q72)	81.9%	82.9%	83.1%	82.6%	84.1%	85.1%	81.4%	79.2%	82.9%	84.4%	84.9%	77.0%
Did not eat breakfast in past 7 days (Q75)	17.6%	16.3%	16.7%	15.9%	23.0%	16.3%	13.6%	14.7%	17.0%	15.4%	16.5%	16.4%
Did not eat meal with their family yesterday (Q77)	42.5%	43.0%	45.4%	40.0%	47.5%	41.2%	44.8%	41.4%	45.2%	38.7%	43.2%	42.8%
Less than 3 days/week of vigorous physical activity (Q79)	39.6%	39.4%	39.6%	39.1%	42.0%	41.3%	40.9%	38.8%	38.5%	39.0%	37.7%	41.0%
Less than 5 days/week of at least moderate physical activity (Q79-Q80)	N.A.	38.7%	38.8%	38.5%	43.2%	40.8%	40.4%	39.6%	37.8%	38.9%	35.8%	38.9%
Do not take physical education class daily (Q83)	68.4%	67.0%	60.5%	75.3%	85.5%	73.5%	71.1%	70.2%	66.9%	79.8%	51.8%	59.7%
Not involved in sports teams (Q85)	38.4%	39.0%	45.0%	31.3%	38.7%	39.3%	36.9%	39.9%	40.2%	30.1%	40.8%	40.8%
Did not brush teeth in past 7 days (Q88)	3.4%	3.4%	3.5%	3.3%	3.3%	3.1%	2.8%	2.7%	4.1%	3.2%	3.7%	3.0%
Never taught about AIDS/HIV in school (Q89)	6.2%	5.6%	5.7%	5.6%	4.0%	5.8%	8.1%	6.3%	5.2%	6.5%	4.8%	5.0%
Never talked about AIDS/HIV with parent or other adults (Q90)	50.0%	50.3%	49.0%	52.1%	49.4%	48.8%	50.0%	48.2%	51.8%	54.7%	49.2%	51.6%
Have had sexual intercourse at least once in lifetime (Q91)	42.0%	41.3%	42.2%	40.0%	46.8%	38.8%	48.4%	45.5%	39.7%	32.2%	40.7%	44.5%
Sexual abstinence is at least an important priority (Q92)	54.5%	52.2%	52.7%	51.7%	48.8%	53.0%	44.8%	52.3%	52.4%	61.3%	52.6%	48.9%
Have had sexual intercourse at least once in past 3 months (Q95)	30.8%	29.0%	29.9%	27.8%	33.1%	27.4%	35.0%	31.2%	27.2%	21.7%	29.7%	30.6%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 9 ONLY: Behaviors that Result in Unintentional and Intentional Injuries

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ times in past 30 days other than for hunting (Q16)	19.3%	15.6%	17.0%	13.7%	12.7%	13.1%	10.6%	19.7%	14.9%	13.3%	15.7%	22.0%
Carried weapon 1+ times in past 30 days on school property (Q17)	8.8%	6.6%	7.8%	5.2%	8.0%	5.8%	4.9%	9.4%	5.5%	3.8%	5.0%	12.9%
Didn't go to school 1+ times in past 30 days because felt unsafe (Q18)	3.6%	4.6%	5.8%	3.0%	3.4%	3.8%	3.8%	6.4%	5.5%	5.4%	4.9%	.9%
Been in a physical fight in the past 12 months (Q21)	38.8%	34.1%	34.5%	33.5%	35.5%	28.4%	23.3%	42.0%	35.5%	35.1%	36.8%	28.2%
Been in a physical fight on school property in the past 12 months (Q23)	20.0%	18.0%	19.3%	16.4%	14.0%	13.3%	11.6%	26.3%	18.8%	15.2%	18.7%	19.4%
Boy/Girlfriend hit, slapped, or hurt you in the past 12 months (Q24)	10.6%	10.0%	11.0%	8.7%	11.0%	7.3%	8.0%	11.8%	10.5%	7.8%	10.5%	12.8%
Ever been forced to have sexual intercourse when you didn't want to (Q25)	7.5%	7.1%	7.4%	6.7%	8.9%	5.2%	7.9%	7.5%	7.3%	8.0%	6.7%	7.6%
Made plan about how to attempt suicide in the past 12 months (Q28)	14.5%	16.5%	18.8%	13.4%	18.3%	14.9%	12.6%	16.8%	12.9%	15.4%	15.8%	30.8%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 9 ONLY: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	CDC Total	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q14)	40.2%	36.4%	35.1%	38.2%	44.6%	27.9%	37.8%	38.1%	33.5%	35.7%	37.3%	48.1%
Drove when had been drinking 1+ times in past 30 days (Q15)	13.2%	16.3%	14.8%	18.2%	16.6%	9.5%	13.6%	18.3%	12.4%	18.1%	19.7%	26.2%
Smoked cigarettes 1+ days in the past 30 days (Q33)	27.8%	28.3%	29.8%	26.3%	34.1%	21.1%	33.8%	26.0%	26.1%	25.3%	31.7%	36.9%
Regular smoker: smoked cigarettes 20+ days in the past 30 days (Q33)	10.5%	11.1%	12.6%	9.0%	14.8%	6.3%	12.4%	10.3%	10.8%	14.7%	11.4%	14.0%
Heavy smoker: smoked > 20 cigarettes on days smoked in past 30 days (Q34)	0.8%	1.3%	1.6%	0.8%	2.0%	0.4%	1.8%	1.0%	1.4%	2.6%	0.2%	3.2%
Used chewing tobacco 1+ days in past 30 days (Q40)	10.5%	10.2%	9.9%	10.7%	14.7%	6.6%	10.7%	10.0%	10.7%	8.5%	10.6%	13.4%
Drank alcohol 1+ days in the past 30 days (Q43)	50.1%	49.0%	49.5%	48.5%	52.1%	42.2%	44.9%	50.2%	47.9%	50.6%	49.6%	60.1%
Had 5+ drinks in a row 1+ days in the past 30 days (Q44)	31.6%	32.2%	32.1%	32.2%	41.3%	27.7%	33.0%	34.8%	29.1%	27.7%	29.3%	46.9%
Used marijuana 1+ times in past 30 days (Q47)	20.7%	18.9%	23.7%	12.5%	15.4%	13.4%	22.1%	19.1%	21.4%	12.4%	23.0%	18.8%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q51)	17.7%	17.0%	18.5%	15.0%	9.4%	17.2%	18.8%	17.6%	17.2%	17.7%	15.9%	20.0%
Used methamphetamines 1+ times in lifetime (Q55)	10.3%	9.5%	12.5%	5.5%	8.1%	4.9%	10.2%	10.8%	9.1%	9.2%	10.2%	14.7%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 9 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	32.7%	28.4%	29.9%	26.5%	38.3%	21.6%	28.5%	31.7%	27.2%	24.8%	31.4%	29.1%
First drink of alcohol under age 13 (Q42)	41.5%	37.3%	35.9%	39.0%	41.7%	32.5%	35.5%	34.8%	38.2%	35.2%	42.1%	37.1%
First time tried marijuana under age 13 (Q46)	11.6%	9.7%	12.1%	6.5%	8.8%	5.3%	14.2%	11.1%	9.1%	7.5%	9.6%	15.3%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	9.9%	9.2%	9.9%	8.3%	8.7%	10.3%	8.2%	9.7%	7.9%	9.6%	8.2%	12.9%

Grade 9 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	68.4%	60.9%	63.4%	57.5%	69.6%	55.1%	58.0%	72.6%	59.6%	60.5%	60.8%	53.2%
First drink of alcohol under age 13 (Q42)	59.1%	54.3%	52.9%	56.2%	60.5%	51.3%	51.4%	51.4%	56.6%	53.7%	55.8%	54.1%
First time tried marijuana under age 13 (Q46)	36.8%	34.0%	34.0%	33.9%	31.7%	27.2%	49.2%	38.8%	28.6%	35.4%	30.8%	41.9%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	57.1%	56.7%	54.9%	59.8%	80.8%	61.2%	46.9%	60.9%	49.7%	58.3%	52.0%	63.6%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 9 ONLY: Other Risk Behaviors

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Never, rarely, or sometimes wear a seat belt (Q12)	40.3%	40.9%	37.9%	44.8%	36.6%	39.7%	50.0%	51.0%	31.9%	38.6%	41.4%	43.6%
Describe weight as slightly or very overweight (Q60)	32.6%	33.8%	32.5%	35.4%	40.4%	33.8%	32.5%	31.5%	41.1%	27.5%	31.5%	28.3%
Trying to lose weight (Q61)	49.2%	49.7%	50.3%	48.9%	56.6%	49.8%	48.7%	50.2%	55.0%	42.5%	46.9%	46.0%
Did not eat 5+ fruits or vegetables per week (Q67-Q72)	79.2%	80.4%	80.4%	80.4%	84.5%	83.9%	81.2%	78.5%	82.7%	81.6%	80.2%	68.6%
Did not eat breakfast in past 7 days (Q75)	14.5%	15.3%	16.7%	13.4%	24.7%	13.2%	13.5%	10.9%	16.0%	13.7%	17.2%	17.5%
Did not eat meal with their family yesterday (Q77)	35.7%	37.5%	39.8%	34.4%	43.0%	27.6%	37.5%	36.3%	43.1%	32.7%	41.8%	34.3%
Less than 3 days/week of vigorous physical activity (Q79)	32.2%	32.4%	35.3%	28.5%	35.4%	35.6%	32.7%	28.4%	32.1%	29.6%	35.6%	27.4%
Less than 5 days/week of at least moderate physical activity (Q79-Q80)	N.A.	30.8%	32.8%	28.2%	37.0%	34.3%	28.7%	26.0%	32.8%	33.7%	32.3%	20.5%
Do not take physical education class daily (Q83)	51.7%	53.9%	52.4%	55.8%	75.6%	51.5%	64.2%	49.2%	61.9%	64.6%	45.7%	34.3%
Not involved in sports teams (Q85)	29.8%	31.4%	37.7%	23.0%	35.1%	29.4%	31.0%	28.0%	32.5%	23.4%	35.0%	34.7%
Did not brush teeth in past 7 days (Q88)	3.5%	4.1%	4.4%	3.8%	4.7%	4.1%	3.4%	4.1%	4.7%	3.4%	4.3%	3.8%
Never taught about AIDS/HIV in school (Q89)	8.6%	7.5%	8.1%	6.7%	3.3%	7.0%	9.2%	8.8%	7.5%	8.8%	7.9%	5.3%
Never talked about AIDS/HIV with parent or other adults (Q90)	50.6%	51.8%	50.4%	53.7%	55.2%	50.2%	50.9%	45.4%	53.9%	50.8%	50.9%	61.7%
Have had sexual intercourse at least once in lifetime (Q91)	27.6%	26.8%	29.2%	23.3%	32.2%	19.6%	30.1%	28.7%	25.5%	18.7%	32.0%	29.2%
Sexual abstinence is at least an important priority (Q92)	54.5%	57.1%	57.0%	57.1%	54.7%	57.8%	52.1%	59.0%	55.7%	68.7%	55.6%	53.8%
Have had sexual intercourse at least once in past 3 months (Q95)	18.4%	17.1%	18.9%	14.6%	19.9%	13.5%	19.2%	18.8%	14.9%	14.1%	21.7%	15.1%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 10 ONLY: Behaviors that Result in Unintentional and Intentional Injuries

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ times in past 30 days other than for hunting (Q16)	11.5%	11.0%	8.4%	14.1%	8.4%	13.1%	11.8%	10.7%	11.3%	8.2%	10.0%	16.5%
Carried weapon 1+ times in past 30 days on school property (Q17)	6.9%	5.1%	4.1%	6.2%	3.8%	4.6%	5.7%	5.2%	5.0%	5.6%	5.0%	6.0%
Didn't go to school 1+ times in past 30 days because felt unsafe (Q18)	3.0%	2.3%	2.4%	2.2%	3.8%	1.4%	3.3%	2.0%	3.6%	.6%	1.8%	2.6%
Been in a physical fight in the past 12 months (Q21)	27.8%	28.8%	29.4%	28.0%	29.9%	31.3%	30.5%	36.4%	26.2%	22.5%	27.8%	26.7%
Been in a physical fight on school property in the past 12 months (Q23)	9.4%	9.8%	8.6%	11.3%	9.8%	9.6%	13.2%	11.3%	9.6%	7.6%	9.4%	9.5%
Boy/Girlfriend hit, slapped, or hurt you in the past 12 months (Q24)	9.9%	10.2%	10.7%	9.6%	8.4%	12.4%	8.6%	13.0%	11.5%	8.1%	7.9%	9.1%
Ever been forced to have sexual inter-course when you didn't want to (Q25)	7.5%	7.4%	7.6%	7.2%	3.7%	8.1%	6.6%	9.4%	8.2%	6.5%	6.3%	8.7%
Made plan about how to attempt suicide in the past 12 months (Q28)	14.5%	14.5%	15.9%	12.8%	12.4%	16.6%	13.3%	11.3%	15.8%	12.2%	16.0%	11.2%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 10 ONLY: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q14)	38.3%	44.1%	41.2%	47.6%	47.2%	41.1%	46.1%	46.2%	39.7%	52.2%	44.8%	42.9%
Drove when had been drinking 1+ times in past 30 days (Q15)	21.2%	27.5%	25.3%	30.2%	33.7%	22.1%	25.8%	23.1%	24.4%	35.7%	32.1%	27.6%
Smoked cigarettes 1+ days in the past 30 days (Q33)	28.5%	36.1%	37.2%	34.7%	45.1%	34.8%	42.0%	37.3%	32.2%	31.1%	38.7%	35.3%
Regular smoker: smoked cigarettes 20+ days in the past 30 days (Q33)	14.5%	16.1%	17.9%	13.8%	21.4%	16.1%	19.1%	19.9%	13.1%	15.7%	15.6%	11.6%
Heavy smoker: smoked > 20 cigarettes on days smoked in past 30 days (Q34)	1.3%	0.8%	0.7%	1.0%	0.8%	0.4%	0.4%	1.5%	0.5%	0.0%	1.4%	2.2%
Used chewing tobacco 1+ days in past 30 days (Q40)	13.4%	13.2%	12.7%	13.7%	22.1%	7.6%	17.0%	14.5%	11.1%	11.4%	14.7%	18.5%
Drank alcohol 1+ days in the past 30 days (Q43)	56.2%	58.0%	58.3%	57.8%	60.4%	57.9%	57.1%	53.1%	53.8%	61.1%	64.4%	54.7%
Had 5+ drinks in a row 1+ days in the past 30 days (Q44)	36.3%	43.1%	43.9%	42.2%		41.6%	40.9%	42.8%	40.1%	44.0%	46.6%	39.7%
Used marijuana 1+ times in past 30 days (Q47)	20.7%	20.8%	27.7%	12.5%	20.0%	20.2%	17.7%	23.3%	21.8%	17.0%	23.6%	9.1%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q51)	14.8%	12.9%	13.8%	11.8%	16.1%	13.1%	13.4%	18.2%	11.0%	6.4%	14.5%	9.1%
Used methamphetamines 1+ times in lifetime (Q55)	6.8%	8.0%	9.8%	5.8%	8.4%	8.0%	7.4%	14.9%	6.8%	7.4%	6.4%	3.9%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 10 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began *(Includes ALL students)*

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	23.5%	26.7%	28.1%	25.1%	28.2%	25.1%	20.9%	30.4%	25.7%	20.6%	30.9%	27.6%
First drink of alcohol under age 13 (Q42)	28.6%	33.0%	33.8%	32.0%	31.1%	33.8%	24.8%	34.1%	33.0%	32.7%	34.6%	36.2%
First time tried marijuana under age 13 (Q46)	7.1%	7.6%	9.2%	5.6%	6.1%	6.8%	8.8%	15.6%	5.9%	2.7%	7.5%	6.5%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	8.0%	7.2%	7.9%	6.3%	9.2%	5.5%	5.7%	13.6%	6.0%	4.3%	7.3%	6.5%

Grade 10 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began *(Includes ONLY students who have EVER used)*

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	42.8%	47.2%	49.3%	44.5%	42.9%	44.5%	36.6%	51.4%	46.9%	43.7%	51.7%	50.4%
First drink of alcohol under age 13 (Q42)	37.4%	42.5%	43.8%	41.0%	40.6%	42.4%	32.9%	44.7%	43.6%	43.0%	42.9%	46.9%
First time tried marijuana under age 13 (Q46)	19.8%	20.5%	19.7%	22.3%	14.7%	20.1%	32.3%	35.4%	15.3%	9.2%	17.7%	34.1%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	58.4%	56.1%	57.5%	54.1%	60.2%	44.3%	44.9%	76.8%	53.4%	63.1%	50.4%	65.2%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 10 ONLY: Other Risk Behaviors

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Never, rarely, or sometimes wear a seat belt (Q12)	43.4%	46.3%	43.1%	50.2%	45.0%	43.9%	58.2%	46.2%	44.7%	53.0%	42.4%	49.1%
Describe weight as slightly or very overweight (Q60)	32.8%	34.7%	34.4%	35.1%	33.9%	33.2%	32.5%	36.0%	38.5%	32.7%	32.7%	35.9%
Trying to lose weight (Q61)	50.1%	48.6%	49.0%	48.0%	50.1%	45.1%	41.1%	51.9%	52.4%	42.9%	49.9%	47.2%
Did not eat 5+ fruits or vegetables per week (Q67-Q72)	81.1%	83.2%	83.8%	82.5%	81.6%	86.4%	81.8%	80.0%	79.1%	88.7%	85.8%	81.9%
Did not eat breakfast in past 7 days (Q75)	16.2%	15.7%	15.2%	16.2%	18.4%	15.9%	12.4%	14.1%	17.1%	11.9%	17.4%	14.4%
Did not eat meal with their family yesterday (Q77)	40.5%	38.1%	36.7%	39.6%	38.0%	37.9%	45.8%	35.3%	39.6%	34.7%	36.6%	40.4%
Less than 3 days/week of vigorous physical activity (Q79)	38.2%	36.6%	38.6%	34.1%	39.1%	34.5%	29.6%	40.4%	32.1%	36.7%	41.7%	38.0%
Less than 5 days/week of at least moderate physical activity (Q79-Q80)	N.A.	37.1%	38.6%	35.3%	39.2%	35.6%	29.6%	45.0%	33.8%	37.6%	38.4%	39.7%
Do not take physical education class daily (Q83)	63.2%	61.1%	52.1%	72.0%	76.3%	58.8%	62.3%	68.9%	56.5%	68.8%	54.0%	73.7%
Not involved in sports teams (Q85)	36.1%	36.7%	42.2%	30.0%	35.2%	39.3%	30.6%	34.7%	37.7%	28.6%	41.8%	31.3%
Did not brush teeth in past 7 days (Q88)	3.9%	3.4%	3.7%	3.1%	.8%	1.9%	.9%	2.7%	5.0%	2.3%	5.1%	3.5%
Never taught about AIDS/HIV in school (Q89)	3.7%	4.3%	4.5%	4.0%	4.6%	3.8%	4.1%	3.9%	4.5%	4.0%	4.0%	8.3%
Never talked about AIDS/HIV with parent or other adults (Q90)	50.8%	51.4%	50.5%	52.3%	52.4%	50.9%	46.5%	52.5%	51.8%	54.1%	51.7%	46.6%
Have had sexual intercourse at least once in lifetime (Q91)	30.3%	33.9%	34.6%	33.1%	41.3%	36.1%	40.2%	39.0%	30.5%	30.3%	32.0%	28.4%
Sexual abstinence is at least an important priority (Q92)	54.5%	54.0%	54.0%	53.8%	53.8%	51.6%	47.4%	53.9%	56.0%	57.4%	54.3%	53.5%
Have had sexual intercourse at least once in past 3 months (Q95)	23.0%	22.5%	23.3%	21.5%	27.0%	23.1%	28.5%	27.4%	19.5%	18.6%	21.7%	18.7%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 11 ONLY: Behaviors that Result in Unintentional and Intentional Injuries

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ times in past 30 days other than for hunting (Q16)	9.3%	9.6%	8.8%	10.6%	14.5%	11.0%	9.8%	8.6%	11.2%	8.7%	8.1%	7.2%
Carried weapon 1+ times in past 30 days on school property (Q17)	2.6%	4.4%	3.7%	5.3%	10.2%	4.7%	5.5%	3.7%	6.4%	5.1%	2.0%	3.3%
Didn't go to school 1+ times in past 30 days because felt unsafe (Q18)	1.1%	2.0%	1.7%	2.4%	2.5%	1.8%	2.6%	4.5%	3.3%	.9%	.3%	1.6%
Been in a physical fight in the past 12 months (Q21)	22.1%	22.1%	20.9%	23.8%	26.2%	23.3%	23.5%	25.1%	20.5%	19.1%	19.9%	29.0%
Been in a physical fight on school property in the past 12 months (Q23)	6.5%	7.2%	6.5%	8.0%	7.5%	6.9%	8.9%	7.3%	8.7%	4.6%	6.7%	6.6%
Boy/Girlfriend hit, slapped, or hurt you in the past 12 months (Q24)	10.3%	11.7%	11.3%	12.3%	19.6%	11.2%	8.3%	14.7%	11.7%	10.6%	11.4%	8.6%
Ever been forced to have sexual intercourse when you didn't want to (Q25)	7.9%	8.2%	8.4%	8.0%	11.8%	6.2%	5.8%	13.6%	8.5%	7.4%	6.5%	12.4%
Made plan about how to attempt suicide in the past 12 months (Q28)	13.9%	12.4%	13.9%	10.4%	18.6%	10.9%	11.1%	9.3%	13.7%	14.3%	12.2%	15.0%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 11 ONLY: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q14)	41.5%	47.3%	42.7%	53.5%	51.4%	40.6%	52.8%	52.4%	43.0%	49.1%	48.5%	49.1%
Drove when had been drinking 1+ times in past 30 days (Q15)	28.1%	34.1%	30.8%	38.6%	32.1%	30.2%	33.0%	36.1%	32.3%	37.1%	35.6%	38.0%
Smoked cigarettes 1+ days in the past 30 days (Q33)	35.8%	39.2%	40.3%	37.8%	51.7%	34.7%	39.0%	43.6%	40.6%	27.6%	41.3%	36.0%
Regular smoker: smoked cigarettes 20+ days in the past 30 days (Q33)	20.9%	20.5%	22.9%	17.3%	26.4%	19.1%	21.2%	22.4%	2.1%	18.2%	19.2%	20.2%
Heavy smoker: smoked > 20 cigarettes on days smoked in past 30 days (Q34)	0.8%	0.7%	0.5%	1.1%	0.0%	0.5%	0.9%	0.6%	1.3%	0.7%	0.5%	1.3%
Used chewing tobacco 1+ days in past 30 days (Q40)	11.0%	13.4%	13.0%	13.9%	25.4%	12.1%	18.5%	10.3%	10.5%	12.2%	14.8%	11.2%
Drank alcohol 1+ days in the past 30 days (Q43)	56.7%	61.5%	59.6%	64.2%	66.2%	55.2%	63.0%	58.3%	61.2%	62.1%	64.0%	68.8%
Had 5+ drinks in a row 1+ days in the past 30 days (Q44)	41.0%	47.4%	46.2%	49.0%	53.1%	42.4%	49.0%	47.4%	45.1%	45.2%	49.8%	53.9%
Used marijuana 1+ times in past 30 days (Q47)	21.9%	21.9%	27.1%	14.9%	18.3%	18.2%	17.2%	25.3%	25.3%	13.4%	25.9%	16.4%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q51)	14.4%	12.1%	12.4%	11.8%	17.0%	12.4%	13.0%	14.1%	13.7%	11.2%	10.0%	8.9%
Used methamphetamines 1+ times in lifetime (Q55)	7.7%	9.6%	12.5%	5.6%	7.9%	5.1%	4.6%	15.2%	11.9%	6.7%	9.5%	16.2%

**2001 North Dakota YRBS Results
High School – Grades 9-12**

Grade 11 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	23.8%	21.9%	21.9%	21.8%	27.8%	22.1%	22.0%	26.0%	22.1%	19.4%	21.0%	13.8%
First drink of alcohol under age 13 (Q42)	24.0%	23.8%	22.0%	26.4%	32.6%	23.1%	20.7%	22.4%	24.7%	23.1%	24.1%	23.6%
First time tried marijuana under age 13 (Q46)	4.5%	5.7%	6.3%	4.9%	10.4%	4.8%	6.4%	11.5%	6.8%	4.1%	3.2%	2.3%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	7.7%	5.7%	5.4%	6.1%	10.2%	6.7%	6.6%	8.7%	6.0%	6.5%	2.6%	4.6%

Grade 11 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used)

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	39.9%	35.8%	35.2%	36.7%	40.8%	39.8%	34.9%	39.9%	35.1%	37.3%	34.3%	20.6%
First drink of alcohol under age 13 (Q42)	29.2%	28.4%	26.5%	31.0%	36.3%	28.4%	24.1%	26.6%	29.6%	28.7%	28.8%	26.1%
First time tried marijuana under age 13 (Q46)	11.1%	14.1%	13.0%	16.7%	24.6%	13.2%	15.6%	24.0%	16.9%	14.2%	7.1%	8.0%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	51.1%	46.4%	43.8%	50.1%	60.4%	47.4%	54.2%	59.0%	45.7%	52.1%	27.4%	56.0%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 11 ONLY: Other Risk Behaviors

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Never, rarely, or sometimes wear a seat belt (Q12)	39.2%	45.4%	44.0%	47.4%	54.3%	38.4%	63.1%	53.9%	38.2%	45.9%	43.7%	44.6%
Describe weight as slightly or very overweight (Q60)	30.5%	31.8%	29.3%	35.2%	42.8%	30.5%	40.0%	30.0%	37.6%	35.6%	24.0%	33.6%
Trying to lose weight (Q61)	47.4%	46.9%	45.6%	48.7%	50.8%	46.6%	49.1%	48.0%	47.7%	48.9%	43.3%	51.7%
Did not eat 5+ fruits or vegetables per week (Q67-Q72)	84.9%	84.6%	85.0%	83.9%	86.7%	84.5%	79.8%	81.4%	85.7%	82.1%	88.1%	78.4%
Did not eat breakfast in past 7 days (Q75)	16.0%	15.4%	16.3%	14.1%	23.7%	14.5%	8.8%	16.5%	16.8%	15.1%	14.5%	18.7%
Did not eat meal with their family yesterday (Q77)	42.2%	45.3%	49.1%	40.1%	52.0%	46.6%	46.8%	44.1%	39.8%	40.3%	47.1%	53.3%
Less than 3 days/week of vigorous physical activity (Q79)	42.9%	41.1%	37.9%	45.3%	44.4%	46.3%	47.5%	39.3%	44.3%	41.9%	32.1%	53.6%
Less than 5 days/week of at least moderate physical activity (Q79-Q80)	N.A.	40.0%	37.0%	44.2%	46.4%	43.7%	52.0%	39.9%	41.5%	38.3%	31.2%	52.0%
Do not take physical education class daily (Q83)	77.9%	73.6%	62.1%	89.5%	95.6%	94.6%	79.0%	83.9%	71.1%	95.7%	46.5%	80.9%
Not involved in sports teams (Q85)	42.6%	41.7%	47.6%	33.8%	43.4%	44.1%	36.8%	42.4%	46.8%	27.9%	42.1%	43.3%
Did not brush teeth in past 7 days (Q88)	3.5%	3.0%	2.9%	3.1%	.9%	3.6%	4.3%	2.4%	4.4%	3.9%	1.7%	2.6%
Never taught about AIDS/HIV in school (Q89)	4.9%	5.3%	5.3%	5.2%	1.7%	3.3%	11.0%	7.0%	5.7%	7.0%	3.7%	5.3%
Never talked about AIDS/HIV with parent or other adults (Q90)	47.6%	49.5%	47.6%	52.1%	42.1%	47.0%	50.2%	52.0%	50.9%	57.9%	47.2%	49.3%
Have had sexual intercourse at least once in lifetime (Q91)	46.5%	46.5%	46.7%	46.2%	51.0%	42.2%	53.6%	52.2%	49.3%	28.3%	45.9%	54.0%
Sexual abstinence is at least an important priority (Q92)	53.0%	52.8%	53.9%	51.3%	44.0%	55.1%	43.6%	54.6%	53.4%	62.4%	51.8%	51.6%
Have had sexual intercourse at least once in past 3 months (Q95)	33.6%	33.0%	34.5%	30.9%	36.3%	29.7%	36.6%	35.9%	33.6%	16.8%	35.2%	39.8%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 12 ONLY: Behaviors that Result in Unintentional and Intentional Injuries

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon 1+ times in past 30 days other than for hunting (Q16)	8.5%	10.0%	8.9%	11.4%	12.2%	8.7%	7.8%	11.7%	7.3%	13.5%	10.1%	16.1%
Carried weapon 1+ times in past 30 days on school property (Q17)	6.3%	5.5%	5.1%	6.2%	5.4%	4.6%	6.0%	8.0%	4.3%	6.0%	5.8%	5.6%
Didn't go to school 1+ times in past 30 days because felt unsafe (Q18)	3.1%	2.3%	2.3%	2.4%	2.0%	2.3%	2.6%	2.5%	2.4%	2.5%	2.6%	1.0%
Been in a physical fight in the past 12 months (Q21)	22.8%	21.3%	20.5%	22.3%	25.8%	19.2%	25.2%	25.7%	19.3%	18.4%	18.2%	25.3%
Been in a physical fight on school property in the past 12 months (Q23)	6.9%	6.7%	6.8%	6.7%	10.2%	5.7%	6.7%	7.4%	5.3%	9.6%	5.1%	10.5%
Boy/Girlfriend hit, slapped, or hurt you in the past 12 months (Q24)	15.2%	14.9%	15.6%	14.1%	21.7%	12.8%	17.4%	18.6%	13.2%	12.2%	11.8%	19.7%
Ever been forced to have sexual intercourse when you didn't want to (Q25)	10.6%	10.9%	11.0%	10.7%	16.4%	8.3%	13.0%	15.0%	9.4%	13.7%	9.1%	6.7%
Made plan about how to attempt suicide in the past 12 months (Q28)	11.3%	11.8%	12.6%	10.7%	12.2%	9.2%	10.0%	17.4%	12.7%	9.4%	12.8%	6.0%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 12 ONLY: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking 1+ times in the past 30 days (Q14)	53.3%	53.3%	47.6%	60.9%	64.9%	51.0%	59.0%	57.8%	47.3%	52.3%	49.1%	64.7%
Drove when had been drinking 1+ times in past 30 days (Q15)	43.4%	42.2%	37.6%	48.5%	52.7%	41.8%	43.5%	44.9%	36.3%	39.0%	45.7%	46.2%
Smoked cigarettes 1+ days in the past 30 days (Q33)	47.8%	45.6%	44.8%	46.7%	64.1%	38.2%	54.5%	52.0%	41.6%	35.7%	47.1%	43.9%
Regular smoker: smoked cigarettes 20+ days in the past 30 days (Q33)	28.9%	26.9%	28.0%	25.4%	40.4%	23.3%	30.9%	35.3%	25.0%	18.7%	25.3%	20.7%
Heavy smoker: smoked > 20 cigarettes on days smoked in past 30 days (Q34)	1.6%	1.8%	2.4%	0.9%	2.1%	0.4%	0.4%	4.8%	1.5%	0.6%	2.6%	1.0%
Used chewing tobacco 1+ days in past 30 days (Q40)	16.9%	15.3%	12.3%	19.3%	24.4%	12.4%	23.7%	13.2%	11.2%	12.5%	16.5%	21.6%
Drank alcohol 1+ days in the past 30 days (Q43)	73.1%	68.9%	65.8%	73.2%	74.4%	64.0%	73.7%	69.8%	64.4%	65.7%	72.2%	79.4%
Had 5+ drinks in a row 1+ days in the past 30 days (Q44)	56.9%	55.2%	51.8%	59.6%	63.6%	50.3%	59.6%	61.8%	50.1%	52.9%	56.8%	56.8%
Used marijuana 1+ times in past 30 days (Q47)	23.8%	24.9%	31.4%	16.2%	29.5%	17.1%	26.7%	29.3%	26.5%	14.3%	26.1%	28.2%
Sniffed/inhaled glue, paint, etc. 1+ times in lifetime (Q51)	12.5%	12.1%	12.0%	12.3%	21.1%	13.7%	9.5%	12.2%	9.5%	11.3%	11.9%	16.8%
Used methamphetamines 1+ times in lifetime (Q55)	12.8%	12.2%	15.4%	7.9%	17.1%	7.3%	11.2%	17.8%	11.4%	6.8%	15.5%	10.5%

**2001 North Dakota YRBS Results
High School – Grades 9-12**

Grade 12 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students)

	CDC Total	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	20.9%	19.1%	20.9%	27.7%	20.0%	19.6%	21.6%	16.9%	23.5%	18.2%	21.3%	19.9%
First drink of alcohol under age 13 (Q42)	24.3%	21.7%	28.3%	30.3%	24.5%	25.8%	27.8%	20.4%	25.4%	25.7%	23.7%	24.5%
First time tried marijuana under age 13 (Q46)	3.3%	6.1%	2.8%	8.9%	4.5%	2.9%	4.0%	3.7%	6.2%	6.0%	4.9%	4.7%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	4.3%	4.2%	5.0%	4.0%	5.0%	5.5%	7.3%	3.3%	5.1%	4.1%	2.1%	4.5%

Grade 12 ONLY: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used)

	CDC Total	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
First whole cigarette under age 13 (Q32)	29.9%	29.7%	28.7%	30.9%	33.1%	34.1%	27.3%	29.9%	26.0%	34.9%	28.3%	32.6%
First drink of alcohol under age 13 (Q42)	27.5%	28.3%	25.4%	31.9%	33.0%	29.1%	28.5%	32.3%	24.0%	31.4%	29.0%	25.6%
First time tried marijuana under age 13 (Q46)	7.3%	10.1%	11.7%	7.3%	14.9%	12.0%	6.0%	7.4%	7.9%	17.3%	12.6%	11.8%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q50)	32.9%	36.4%	34.4%	39.0%	20.0%	36.0%	47.4%	52.6%	39.5%	40.6%	32.2%	12.9%

2001 North Dakota YRBS Results High School – Grades 9-12

Grade 12 ONLY: Other Risk Behaviors

	CDC State	Overall Regional Total	Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Never, rarely, or sometimes wear a seat belt (Q12)	50.6%	52.6%	52.6%	52.5%	56.3%	45.8%	65.6%	58.0%	51.5%	54.2%	48.2%	45.8%
Describe weight as slightly or very overweight (Q60)	32.2%	33.8%	33.1%	34.6%	33.0%	31.7%	36.5%	41.4%	33.5%	40.5%	25.3%	32.4%
Trying to lose weight (Q61)	44.1%	45.1%	45.5%	44.5%	50.1%	38.8%	42.6%	50.8%	45.2%	54.8%	40.8%	43.8%
Did not eat 5+ fruits or vegetables per week (Q67-Q72)	82.8%	83.7%	83.6%	83.9%	85.3%	86.7%	82.7%	77.6%	85.1%	84.1%	84.2%	83.6%
Did not eat breakfast in past 7 days (Q75)	23.6%	19.1%	18.5%	20.0%	23.9%	22.7%	17.9%	17.7%	18.0%	23.1%	18.4%	14.3%
Did not eat meal with their family yesterday (Q77)	52.7%	52.1%	56.0%	47.1%	57.1%	55.4%	47.1%	51.1%	55.9%	48.4%	48.8%	47.6%
Less than 3 days/week of vigorous physical activity (Q79)	44.7%	48.0%	46.9%	49.5%	48.5%	50.7%	50.6%	49.4%	45.6%	48.3%	44.7%	52.3%
Less than 5 days/week of at least moderate physical activity (Q79-Q80)	N.A.	47.2%	47.4%	46.9%	49.9%	51.4%	47.9%	49.7%	43.2%	47.9%	44.7%	50.8%
Do not take physical education class daily (Q83)	81.2%	79.9%	75.5%	85.6%	95.1%	91.5%	77.0%	82.2%	77.4%	91.5%	66.5%	70.6%
Not involved in sports teams (Q85)	46.0%	46.8%	52.6%	39.2%	42.3%	46.0%	46.2%	55.4%	45.1%	41.9%	44.9%	52.4%
Did not brush teeth in past 7 days (Q88)	2.1%	2.6%	2.6%	2.7%	4.2%	2.6%	1.9%	1.7%	2.1%	3.5%	4.3%	1.4%
Never taught about AIDS/HIV in school (Q89)	7.2%	5.1%	4.2%	6.3%	4.0%	9.0%	7.6%	5.2%	3.7%	5.3%	3.9%	2.6%
Never talked about AIDS/HIV with parent or other adults (Q90)	50.0%	48.4%	47.1%	50.1%	45.5%	46.6%	52.2%	44.5%	50.3%	56.6%	47.3%	42.3%
Have had sexual intercourse at least once in lifetime (Q91)	62.4%	58.9%	59.1%	58.7%	61.6%	60.9%	63.5%	64.6%	53.0%	55.7%	55.9%	67.0%
Sexual abstinence is at least an important priority (Q92)	42.0%	44.5%	45.0%	43.7%	42.0%	46.2%	38.8%	40.7%	45.1%	55.8%	47.5%	37.0%
Have had sexual intercourse at least once in past 3 months (Q95)	47.4%	44.0%	43.2%	45.2%	47.0%	45.5%	50.0%	44.2%	40.2%	41.0%	42.1%	52.0%